



FLY SAM[®]

2-inch Standby Attitude Module
Two-screen, high-definition display



All-in-one Capability

- + Attitude
- + Airspeed
- + Vertical trend
- + Altitude
- + Slip
- + Heading (via remote input)

Flexible Configurations

- + Select horizontal or vertical orientation
- + Automatic and manual dimming controls
- + Lighting curves
- + Standard or metric airspeed and barometric pressure display
- + Aircraft-specific airspeed range markings
- + Static Source Error Correction (SSEC)

User-friendly Interface

- + Intuitive menu structure
- + Single-knob display and menu control
- + Smooth, high-definition graphics
- + Two screens with extra-wide viewing angles
- + Standard USB, field-upgradeable software

Lasting Power

- + 10–32 VDC power input
- + Field-replaceable battery delivers over one hour of emergency power, 10-year life

Quality Assured

- + Two-year or 2,000-hour warranty
- + Designed and built in Wichita, Kansas, USA

Only 1.6 lbs (0.73 kg)





COMPACT. FLEXIBLE. ADVANCED.

SAM[®] is the first certified primary/secondary indicator to display attitude, altitude, airspeed, slip, vertical trend, and heading information in an advanced, 2-inch format.

Trusted by leading aircraft manufacturers, SAM delivers an easy-to-fit, compact design with selectable horizontal and vertical orientation, ensuring a perfect fit within any panel. The easy-to-interpret, two-screen display features high-definition graphics and extra-wide viewing angles. And a rechargeable internal battery keeps SAM fully operational in the event of electrical power failure.



flySAM.com



Selectable
Orientation



Field-upgradeable
Software



Emergency
Battery



Kansas

9400 East 34th Street North
Wichita, Kansas 67226
Tel. 316.630.0101
Tel. 800.821.1212

California

16320 Stagg Street
Van Nuys, California 91406
Tel. 818.786.0300
Tel. 800.345.7599